

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	( "6,473740").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/29 09:57
L2	2	( "5,768050").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/29 09:58
L3	2	( "5,768505").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/29 09:58
L4	2633	(709/201).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/29 09:58
L5	0	(709/310).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/29 09:59
L6	1035	(719/310).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/29 09:59
L7	18	4 & ( transaction near2 object\$3) same implement\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/29 10:00

## EAST Search History

L8	10	6 & ( transaction near2 object\$3) same implement\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/29 10:00
L9	0	6 & ( transaction near2 object\$3 near6 ( class\$3 or function\$3 ) same implement\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/29 10:00
L10	4	6 & ( transaction near2 object\$3 near6 ( class\$3 or function\$3 )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/29 10:00
L11	6	4 & ( transaction near2 object\$3 near6 ( class\$3 or function\$3 )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/29 10:01
L12	6	4 & ( transaction near2 object\$3 near6 ( class\$3 or function\$3 ) & implement\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/29 10:01
L13	16	4 & ( transaction near6 object\$3 near6 ( class\$3 or function\$3 ) & implement\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/29 10:01
L14	544	( transaction near6 object\$3 near6 ( class\$3 or function\$3 ) & implement\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/29 10:01

## EAST Search History

L15	384	( transaction near6 object\$3 near6 ( class\$3 or function\$3 ) & implement\$3 same ( receiv\$3 or send\$3 or transfer\$3 or dispatch\$3 or transmit\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/29 10:02
L16	61	( transaction near6 object\$3 near6 ( class\$3 or function\$3 ) same implement\$3 same ( receiv\$3 or send\$3 or transfer\$3 or dispatch\$3 or transmit\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/29 10:02
L17	12	4 & ( transaction near6 object\$3 near6 ( class\$3 or function\$3 ) & implement\$3 same ( receiv\$3 or send\$3 or transfer\$3 or dispatch\$3 or transmit\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/29 10:02
L18	5	6 & ( transaction near6 object\$3 near6 ( class\$3 or function\$3 ) & implement\$3 same ( receiv\$3 or send\$3 or transfer\$3 or dispatch\$3 or transmit\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/29 10:02